



- | | |
|--|--|
| <ul style="list-style-type: none"> ① STRONG BOX MODEL #SB-24SS STAINLESS STEEL ENCLOSURE WITH PED-24SS STAINLESS STEEL RISER, OR APPROVED EQUALS ② #CH751 RAIN BIRD KEY CORE ③ STRONG BOX MODEL #QP-24 ENCLOSURE MOUNTING PAD WITH SUPPORT BASE, OR APPROVED EQUAL ④ FINISHED GRADE TO BE 1", OR SPECIFIED DEPTH OF MULCH PLUS 1", BELOW TOP OF MOUNTING PAD, TYP. ⑤ COMPACTED NATIVE SOIL ⑥ 3/8" GRAVEL BACKFILL FOR DRAINS PER WSDOT 9-03.12(4) ⑦ CONDUIT AND WIRE FROM SERVICE PEDESTAL ⑧ 2" CONDUIT FOR COMMUNICATION AND VALVE WIRE FEED INTO CONTROL PANEL | <ul style="list-style-type: none"> ⑨ DIRECT BURIAL COMMUNICATION AND VALVE WIRES ⑩ CONTROL PANEL PER SPECIFICATIONS ⑪ PROVIDE 48" MIN. COILED SLACK FOR ALL COMMUNICATION AND VALVE WIRES WITHIN RISER ⑫ STRONG BOX MODEL #CSP-B188-10K STAINLESS STEEL SERVICE PEDESTAL WITH METER SOCKET, OR APPROVED EQUAL ⑬ STRONG BOX MODEL #QP-CSP ENCLOSURE MOUNTING PAD WITH SUPPORT BASE, OR APPROVED EQUAL ⑭ CONDUIT AND WIRE FROM POWER SOURCE (LOAD) ⑮ PAD LOCK TO BE PLACED BY PUGET SOUND ENERGY AFTER METER HAS BEEN INSTALLED AND CHARGED ⑯ CONTRACTOR SHALL PROVIDE ALL CONDUIT, WIRES, POLE MOUNTING BRACKETS, WEATHERHEADS AND ALL OTHER MISC. EQUIPMENT REQUIRED FOR PUGET SOUND ENERGY TO CONNECT CABINET TO POWER SOURCE (LOAD) AND CHARGE METER |
|--|--|



City of
Bellevue

TITLE:

IRRIGATION - CONTROL PEDESTAL - SINGLE SIDED WITH POWER SERVICE PEDESTAL

DRAWING #:	PK-IR-16B
SCALE:	N.T.S.
REVISION DATE:	12-2018
DEPARTMENT:	PARKS